

Rockwell Automation Drives Database Files Release Notes

CCW / Add-On Profiles

October 2021 Update

- This release adds the following database files to the respective database installers:
 - **V6.005 755T**
 - **V11.001 7000-2**
 - **V4.001 22-HIM-A3 Series C**
- The following database installers have been updated as a result of the above changes:
 - **UDCAIIDevices.msi** (**Recommended**)
 - Contains EVERY available database file used in Connected Components Workbench
 - Contains EVERY available database file used in Logix Designer including:
 - PowerFlex 755T starting with v20 of Logix Designer
 - All other PowerFlex drives starting with v31 and higher
 - Miscellaneous non-Powerflex devices including SMC-50
 - Requires up to 1.28 GB of hard disk space
 - The following installers are subsets of **UDCAIIDevices.msi** and are provided for users that do not need to update for all available devices and prefer a smaller, more specific download.
 - **NOTE:** You do **NOT** need to download & install these files if you download/install **UDCAIIDevices.msi**.
 - **UDCPowerFlex750-Series.msi**
 - Contains the updated PowerFlex 755 T database files
 - Requires up to 376 MB of hard disk space
 - **UDCPowerFlexMV.msi**
 - Contains the updated PowerFlex 7000-2 database files
 - Requires up to 168 MB of hard disk space
 - **UDCDSIPeripherals.msi**
 - Contains the updated 22-HIM-A3 Series C database files
 - Requires up to 0.98 MB of hard disk space

Refer to the tables attached to this document for details of what each installer provides.

Drive database files are needed for offline use with the associated drive software tool(s). Since drive firmware releases can occur at any time, new drive database files need to be made available between software releases. If you are using a drive software tool and do not see a specific firmware version of a drive available, you have two options:

1. Download and run the appropriate database file installer(s) listed above.
2. Drive database files will also be created automatically by the drive software tool if you connect online with a drive that does not have a database file for that particular version of firmware.


Application Notes

Installing drive database files – Download the desired install file. Double-click on the file to run the installer. The database files will automatically install to the database location on your PC.

Updates

Updates are obtained by downloading them from:

- Product Compatibility & Download Center:
<https://compatibility.rockwellautomation.com/Pages/home.aspx>
 Search "All CCW and Logix Database Files" in the Search bar as shown below:



All CCW and Logix Database Files - Updated 08/18/20 All

Search results for "All CCW and Logix Database Files - Updated 08/18/20" Showing 1 - 1 of 1

All CCW and Logix Database Files - Updated 08/18/20

[Download] - Applies to PowerFlex 753 A 14.004 Signed, PowerFlex 753 A 14.002 Signed, PowerFlex 753 A 13.003 Signed, PowerFlex 753 A 13.002 Signed, PowerFlex 753 A 12.002 Signed, PowerFlex 753 A 12.001 Signed, PowerFlex 753 A 11.002 Signed, PowerFlex 753 A 11.001 Signed, PowerFlex 753 A 10.003 Signed, PowerFlex 753 A 9.002 Signed, PowerFlex 753 A 8.002 Signed, PowerFlex 753 A 7.002 Signed, PowerFlex 753 A 6.005 Signed, PowerFlex 753 A 5.002 Signed, PowerFlex 753 A 4.002 Signed, PowerFlex 753 A 3.002 Signed, PowerFlex 755 A 14.004 Signed, PowerFlex 755 A 14.002 Signed, PowerFlex 755 A 13.003 Signed, PowerFlex 755 A 13.002 Signed, PowerFlex 755 A 12.002 Signed, PowerFlex 755 A 12.001 Signed, PowerFlex 755 A 11.002 Signed, PowerFlex 755 A 11.001 Signed, PowerFlex 755 A 10.003 Signed, PowerFlex 755 A 9.002 Signed, PowerFlex 755 A 8.002 Signed, PowerFlex 755 A 7.002 Signed, PowerFlex 755 A 6.005 Signed, PowerFlex 755 A 5.002 Signed, PowerFlex 755 A 4.002 Signed, PowerFlex 755 A 3.005 Signed, -AB Drives CCW Device Database Files All, SMC-50 Smart Motor Controller 6.003, PowerFlex 755TR A 6.003, PowerFlex 755TR A 6.002, PowerFlex 755TR A 5.002, PowerFlex 755TR A 5.001, PowerFlex 755TR A 4.003, PowerFlex 755TR A 4.002, PowerFlex 755TR A 4.001, PowerFlex 755TL A 6.003, PowerFlex 755TL A 6.002, PowerFlex 755TL A 5.002, PowerFlex 755TL A 5.001, PowerFlex 755TL A 4.003, PowerFlex 755TL A 4.002, PowerFlex 755TL A 4.001, PowerFlex 755TM Common Bus Inverter A 6.003, PowerFlex 755TM Common Bus Inverter A 6.002, PowerFlex 755TM Common Bus Inverter A 5.002, PowerFlex 755TM Common Bus Inverter A 5.001, PowerFlex 755TM Common Bus Inverter A 4.003, PowerFlex 755TM Common Bus Inverter A 4.002, PowerFlex 755TM Common Bus Inverter A 4.001, PowerFlex 755TM Regenerative Bus Supply A 6.003, PowerFlex 755TM Regenerative Bus Supply A 6.002, PowerFI

Download

Add To Download Cart

Results

- All (1)
- Products (0)
- Downloads (1)
- Features (0)
- Related Products (0)
- Categories (0)
- Families (0)
- Standard Views (0)

Support Contact Information

You can quickly obtain the information or assistance you need to resolve your automation-related issues by using the links below. The following resources are available:

1. Use Online Tools and Downloads (Self-Service Support) <http://support.rockwellautomation.com/>
2. Request Online or Phone Support** (Assistance from a Rockwell Automation Support Specialist) <https://www.rockwellautomation.com/en-us/company/about-us/contact-us.html>

**A contract may be required to receive support.

Disclaimer and Copyright Notice:

The information contained in this document is subject to change without notice.

UNLESS EXPRESSLY SET FORTH IN A WRITTEN AGREEMENT SIGNED BY AN AUTHORIZED REPRESENTATIVE OF ROCKWELL AUTOMATION, INC. ("RA"), RA MAKES NO WARRANTY OR REPRESENTATION OF ANY KIND WITH RESPECT TO THE INFORMATION CONTAINED HEREIN, INCLUDING WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PURPOSE.

RA assumes no responsibility or obligation of any kind for any errors contained herein or in connection with the furnishing, performance, or use of this document. The software described in this document i) is the property of RA or a third party licensor, ii) is furnished only under the RA license that accompanies the software, and iii) may be copied or used only as expressly permitted under the terms of the license.

This document is protected by copyright. All rights are reserved. No part of this document may be copied, reproduced, or translated, either mechanically or electronically, without the prior written consent of RA.

© 2019 Rockwell Automation, Inc. All rights reserved.

TABLE 1: CCW Device Database Installers

| Misc. DPI Hosts | PowerFlex 4-Class Peripherals | PowerFlex 4-Class AC Drives | PowerFlex 520 Series | PowerFlex DC Drives | PowerFlex 7-Class Peripherals | PowerFlex MV AC Drives | PowerFlex 7-Class AC Drives | PowerFlex 750 Series | All CCW and Logix Database Files | (RECOMMENDED) | Device | Supplied Firmware Versions (New items in this release in Red) |
|-----------------------------|-------------------------------|-----------------------------|----------------------|---------------------|-------------------------------|------------------------|-----------------------------|----------------------|----------------------------------|---------------|----------------------------|---|
| PowerFlex 750 Series | | | | | | | | | | | | |
| | | | | | | | | X | X | | PowerFlex 755TR drive | 1.001, 2.001, 2.002, 3.001, 4.001, 4.002, 4.003, 5.001, 5.002, 6.001, 6.002, 6.003, 6.005 , 10.001 |
| | | | | | | | | X | X | | PowerFlex 755TL drive | 1.001, 2.001, 2.002, 3.001, 4.001, 4.002, 4.003, 5.001, 5.002, 6.001, 6.002, 6.003, 6.005 , 10.001 |
| | | | | | | | | X | X | | PowerFlex 755TM drive | 1.001, 2.001, 2.002, 3.001, 4.001, 4.002, 4.003, 5.001, 5.002, 6.001, 6.002, 6.003, 6.005 , 10.001 |
| | | | | | | | | X | X | | PowerFlex 755TM Bus Supply | 1.001, 2.001, 2.002, 3.001, 4.001, 4.002, 4.003, 5.001, 5.002, 6.001, 6.002, 6.003, 6.005 , 10.001 |
| | | | | | | | | X | X | | PowerFlex 753 drives | 1.005, 1.007, 1.009, 1.010, 1.011, 5.001, 5.002, 6.002, 6.003, 6.004, 6.005, 7.001, 7.002, 8.001, 8.002, 9.001, 9.002, 10.002, 10.003, 11.001, 11.002, 12.001, 12.002, 13.002, 13.003, 14.002, 14.004 |
| | | | | | | | | X | X | | PowerFlex 755 drives | 1.009, 1.010, 2.003, 2.006, 2.009, 2.010, 2.011, 3.004, 3.005, 4.001, 4.002, 5.001, 5.002, 6.002, 6.003, 6.004, 6.005, 7.001, 7.002, 8.001, 8.002, 9.001, 9.002, 10.002, 10.003, 11.001, 11.002, 12.001, 12.002, 13.002, 13.003, 14.002, 14.004 |
| | | | | | | | | X | X | | PowerFlex 755 HiP drives | 2.003, 2.006, 2.009, 2.010, 2.011, 3.002, 3.004, 3.005, 4.001, 4.002, 5.001, 5.002, 6.002, 6.003, 6.004, 6.005, 7.001, 7.002, 8.001, 8.002, 9.001, 9.002, 10.002, 10.003, 11.001, 11.002, 12.001, 12.002, 13.002, 13.003, 14.002, 14.004 |
| | | | | | | | | X | X | | 20-750-TLINK-XT | 1.001 |
| | | | | | | | | X | X | | 20-750-ENC-1 | 1.006 |
| | | | | | | | | X | X | | 20-750-DENC-1 | 1.002 |
| | | | | | | | | X | X | | 20-750-UFB-1 | 1.013, 1.014, 1.015 |
| | | | | | | | | X | X | | 20-750-BNETIP | 1.001, 1.002, 1.003, 1.004 |
| | | | | | | | | X | X | | 20-750-DNET | 1.002, 1.003 |
| | | | | | | | | X | X | | 20-750-CNETC | 1.001, 1.002 |
| | | | | | | | | X | X | | 20-750-ENETR | 1.001, 1.002 |

TABLE 1: CCW Device Database Installers

| Misc. DPI Hosts | PowerFlex 4-Class Peripherals | PowerFlex 4-Class AC Drives | PowerFlex 520 Series | PowerFlex DC Drives | PowerFlex 7-Class Peripherals | PowerFlex MV AC Drives | PowerFlex 7-Class AC Drives | PowerFlex 750 Series | All CCW and Logix Database Files | (RECOMMENDED) | Device | Supplied Firmware Versions (New items in this release in Bold Red) |
|-----------------|-------------------------------|-----------------------------|----------------------|---------------------|-------------------------------|------------------------|-----------------------------|----------------------|----------------------------------|---------------|------------------------------|---|
| | | | | | | | | X | X | | 20-750-ENETR (Tap mode) | 1.001, 1.002 |
| | | | | | | | | X | X | | 20-750-PBUS | 1.002, 2.001 |
| | | | | | | | | X | X | | 20-750-PNET | 1.001, 1.002, 3.001 |
| | | | | | | | | X | X | | 20-750-PNET2P | 1.001, 1.002, 3.001 |
| | | | | | | | | X | X | | 20-750-S | 1.001 |
| | | | | | | | | X | X | | 20-750-S1 | 1.004, 1.005, 1.006, 1.007, 1.008 |
| | | | | | | | | X | X | | Network STO S3 | 1.002 |
| | | | | | | | | X | X | | Network SSM S4 | 1.003 |
| | | | | | | | | X | X | | 20-750-APS | 1.001 |
| | | | | | | | | X | X | | 20-750-1132C-2R ATX | 8.001 |
| | | | | | | | | X | X | | 20-750-1132D-2R ATX | 8.001 |
| | | | | | | | | X | X | | 20-750-1133C-1R2T ATX | 8.001 |
| | | | | | | | | X | X | | 20-750-1132C-2RS-ATX | 8.001 |
| | | | | | | | | X | X | | 20-750-1132D-2RS-ATX | 8.001 |
| | | | | | | | | X | X | | 20-750-1133C1R2TS-ATX | 8.001 |
| | | | | | | | | X | X | | 20-750-2262D-2R | 1.008 |
| | | | | | | | | X | X | | 20-750-2262C-2R | 1.008 |
| | | | | | | | | X | X | | 20-750-2263C-1R2T | 1.008 |
| | | | | | | | | X | X | | 20-750-1132C-2R | 8.001 |
| | | | | | | | | X | X | | 20-750-1132D-2R | 8.001 |
| | | | | | | | | X | X | | 20-750-1133C-1R2T | 8.001 |
| | | | | | | | | X | X | | PowerFlex 755 Embedded EENET | 1.001 |
| | | | | | | | | X | X | | PowerFlex 75x DeviceLogix | 1.003, 2.004, 2.005 |
| | | | | | | | | X | X | | No Inverters | 1.001 |
| | | | | | | | | X | X | | One Inverter | 1.001 |
| | | | | | | | | X | X | | Two Inverters | 1.001 |
| | | | | | | | | X | X | | Three Inverters | 1.001 |
| | | | | | | | | X | X | | No Converters | 1.001 |
| | | | | | | | | X | X | | One Converter | 1.001 |
| | | | | | | | | X | X | | Two Converters | 1.001 |
| | | | | | | | | X | X | | Three Converters | 1.001 |

TABLE 1: CCW Device Database Installers

| Misc. DPI Hosts | PowerFlex 4-Class Peripherals | PowerFlex 4-Class AC Drives | PowerFlex 520 Series | PowerFlex DC Drives | PowerFlex 7-Class Peripherals | PowerFlex MV AC Drives | PowerFlex 7-Class AC Drives | PowerFlex 750 Series | All CCW and Logix Database Files (RECOMMENDED) | Device | Supplied Firmware Versions (New items in this release in Bold Red) |
|-----------------|-------------------------------|-----------------------------|----------------------|---------------------|-------------------------------|------------------------|-----------------------------|----------------------|---|--------|---|
| | | | | | | | X | X | One CB Precharge | 1.001 | |
| | | | | | | | X | X | Two CB Precharge | 1.001 | |
| | | | | | | | X | X | Three CP Precharge | 1.001 | |

TABLE 1: CCW Device Database Installers

| Misc. DPI Hosts | PowerFlex 4-Class Peripherals | PowerFlex 4-Class AC Drives | PowerFlex 520 Series | PowerFlex DC Drives | PowerFlex 7-Class Peripherals | PowerFlex MV AC Drives | PowerFlex 7-Class AC Drives | PowerFlex 750 Series | All CCW and Logix Database Files | (RECOMMENDED) | Device | Supplied Firmware Versions (New items in this release in Bold Red) |
|------------------------------------|-------------------------------|-----------------------------|----------------------|---------------------|-------------------------------|------------------------|-----------------------------|----------------------|----------------------------------|---------------|------------------------------|---|
| PowerFlex 7-Class AC Drives | | | | | | | | | | | | |
| | | | | | | | X | | | X | PowerFlex 70 drives | 1.010, 2.001, 2.002, 2.009 |
| | | | | | | | X | | | X | PowerFlex 70EC drives | 1.001, 2.001, 2.002, 2.003, 3.002, 3.003, 4.001, 5.001 |
| | | | | | | | X | | | X | PowerFlex 700 200V drives | 1.008, 2.001, 3.001, 3.002 |
| | | | | | | | X | | | X | PowerFlex 700 400V drives | 1.008, 2.001, 3.001, 3.002 |
| | | | | | | | X | | | X | PowerFlex 700 600V drives | 2.001, 3.001, 3.002 |
| | | | | | | | X | | | X | PowerFlex 700VC 200V drives | 1.001, 1.002, 2.001, 2.003, 3.001, 3.002, 3.003, 4.001, 4.002, 4.003, 4.004, 4.005, 4.006, 4.010, 6.002, 6.004, 6.005, 6.008, 7.001, 8.001, 8.002, 9.001, 10.001, 10.002, 10.003 |
| | | | | | | | X | | | X | PowerFlex 700VC 400V drives | 1.002, 2.001, 2.003, 3.001, 3.002, 3.003, 4.001, 4.002, 4.003, 4.004, 4.005, 4.006, 4.009, 4.010, 5.003, 6.002, 6.004, 6.005, 6.008, 7.001, 8.001, 8.002, 9.001, 10.001, 10.002, 10.003 |
| | | | | | | | X | | | X | PowerFlex 700VC 600V drives | 1.002, 2.001, 2.003, 3.001, 3.002, 3.003, 4.001, 4.002, 4.003, 4.004, 4.005, 4.006, 4.010, 5.003, 6.002, 6.004, 6.005, 6.008, 7.001, 8.001, 8.002, 9.001, 10.001, 10.002, 10.003 |
| | | | | | | | X | | | X | PowerFlex 700S 200V drives | 1.014, 2.003, 2.004, 2.008 |
| | | | | | | | X | | | X | PowerFlex 700S 400V drives | 1.012, 1.014, 2.003, 2.004, 2.008 |
| | | | | | | | X | | | X | PowerFlex 700S 600V drives | 1.014, 2.003, 2.004, 2.008 |
| | | | | | | | X | | | X | PowerFlex 700S 2 200V drives | 1.008, 1.011, 2.004, 3.001, 3.004, 3.005, 4.001, 4.002, 5.002, 6.001, 6.002, 7.003, 8.001, 30.001 |
| | | | | | | | X | | | X | PowerFlex 700S 2 400V drives | 1.008, 1.011, 2.004, 3.001, 3.004, 3.005, 4.001, 4.002, 5.002, 6.001, 6.002, 7.003, 8.001, 30.001 |
| | | | | | | | X | | | X | PowerFlex 700S 2 600V drives | 1.008, 1.011, 2.004, 3.001, 3.004, 3.005, 4.001, 4.002, 5.002, 6.001, 6.002, 7.003, 8.001, 30.001 |
| | | | | | | | X | | | X | PowerFlex 700H | 1.003, 1.005, 3.001, 4.001, 5.002, 6.001, 30.001 |
| | | | | | | | X | | | X | PowerFlex 700AFE | 1.001, 1.003, 1.004 |

TABLE 1: CCW Device Database Installers

| <div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);"> Misc. DPI Hosts PowerFlex 4-Class Peripherals PowerFlex 4-Class AC Drives PowerFlex 520 Series PowerFlex DC Drives PowerFlex 7-Class Peripherals PowerFlex MV AC Drives PowerFlex 7-Class AC Drives PowerFlex 750 Series All CCW and Logix Database Files (RECOMMENDED) </div> <div style="text-align: center;"> Device </div> <div style="text-align: center;"> Supplied Firmware Versions (New items in this release in Red) </div> </div> | | | | | | | | | | | |
|---|--|--|--|--|---|---|--|--|---|-------------------------|---|
| PowerFlex MV Drives | | | | | | | | | | | |
| | | | | | | X | | | X | PowerFlex 7000 drives | 2.001, 4.002, 5.001, 5.002, 5.003, 5.099, 6.002 |
| | | | | | | X | | | X | PowerFlex 7000-2 drives | 7.001, 8.001, 9.001, 9.002, 9.003, 10.001, 11.001 |
| | | | | | | X | | | X | PowerFlex 6000T drives | 7.001, 8.001 |
| PowerFlex 7-Class Peripherals | | | | | | | | | | | |
| | | | | | X | | | | X | 20-COMM-C | 1.003, 1.004, 1.005, 2.001, 2.002, 2.003, 2.004, 2.005, 2.006, 3.001 |
| | | | | | X | | | | X | 20-COMM-D | 1.003, 1.006, 1.007, 2.001 |
| | | | | | X | | | | X | 20-COMM-E | 1.003, 2.001, 2.002, 2.003, 3.001, 3.002, 3.003, 3.004, 4.001, 4.002, 5.002 |
| | | | | | X | | | | X | 20-COMM-ER | 1.003, 1.004, 1.007, 1.008 |
| | | | | | X | | | | X | 20-COMM-H (Modbus RTU) | 1.003, 2.007, 2.008, 2.009, 2.010, 2.011 |
| | | | | | X | | | | X | 20-COMM-H (Metasys N2) | 2.002, 2.007, 2.008, 2.009, 2.010, 2.011 |
| | | | | | X | | | | X | 20-COMM-H (FLN P1) | 2.002, 2.007, 2.008, 2.009, 2.010, 2.011 |
| | | | | | X | | | | X | 20-COMM-I | |
| | | | | | X | | | | X | 20-COMM-K | 1.001 |
| | | | | | X | | | | X | 20-COMM-L | 1.007 |
| | | | | | X | | | | X | 20-COMM-M | 1.002, 2.001 |
| | | | | | X | | | | X | 20-COMM-P | 1.001, 1.004 |
| | | | | | X | | | | X | 20-COMM-Q | 2.005, 3.001 |
| | | | | | X | | | | X | 20-COMM-R | 1.005, 1.008, 1.009, 1.010 |
| | | | | | X | | | | X | 20-COMM-S | 1.002, 1.004 |
| | | | | | X | | | | X | 1203-SSS | 3.001, 3.003, 3.004, 3.005, 3.006, 3.007 |
| | | | | | X | | | | X | 1203-USB (DPI Mode) | 1.002, 1.004 |
| | | | | | X | | | | X | 1769-SM1 | 1.002, 2.001, 2.002 |
| | | | | | X | | | | X | 20-WIM-Nx | 1.002, 1.003 |
| | | | | | X | | | | X | LCD HIM | 1.004, 2.001, 3.002, 3.003, 3.004, 3.006, 3.007, 3.010 |
| | | | | | X | | | | X | 20-HIM-A6 | 1.005, 1.006, 1.007, 1.008, 2.001, 2.002, 2.003, 2.004, 2.005, 2.006, 2.007 |
| | | | | | X | | | | X | 20-HIM-xx Series C | 6.001 |

TABLE 1: CCW Device Database Installers

| <div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);"> Misc. DPI Hosts PowerFlex 4-Class Peripherals PowerFlex 4-Class AC Drives PowerFlex 520 Series PowerFlex DC Drives PowerFlex 7-Class Peripherals PowerFlex MV AC Drives PowerFlex 7-Class AC Drives PowerFlex 750 Series All CCW and Logix Database Files (RECOMMENDED) </div> <div style="text-align: center;"> Device </div> <div style="text-align: center;"> Supplied Firmware Versions (New items in this release in Red) </div> </div> | | | | | | | | | | | |
|--|--|---|---|---|--|--|--|--|---|--------------------------|--|
| PowerFlex DC Drives | | | | | | | | | | | |
| | | | | X | | | | | X | PowerFlex DC 200V drives | 1.006, 2.001, 3.001, 3.002, 3.003, 4.002, 5.002, 5.005, 5.006, 5.007, 6.001, 6.002, 6.003, 6.004, 7.001, 7.002 |
| | | | | X | | | | | X | PowerFlex DC 400V drives | 1.006, 2.001, 3.001, 3.002, 3.003, 4.002, 5.002, 5.005, 5.006, 5.007, 6.001, 6.002, 6.003, 6.004, 7.001, 7.002 |
| | | | | X | | | | | X | PowerFlex DC 600V drives | 3.001, 3.002, 3.003, 4.002, 5.002, 5.005, 5.006, 5.007, 6.001, 6.002, 6.003, 6.004, 7.001, 7.002 |
| | | | | X | | | | | X | PowerFlex DC FC 200V | 1.001, 1.002 |
| | | | | X | | | | | X | PowerFlex DC FC 500V | 1.001, 1.002 |
| PowerFlex 520 Series | | | | | | | | | | | |
| | | | X | | | | | | X | PowerFlex 523 drives | 1.001, 2.001, 2.002, 3.001 |
| | | | X | | | | | | X | PowerFlex 525 drives | 1.003, 1.005, 2.002, 2.003, 3.001, 4.001, 5.001, 5.002, 6.001, 7.001 |
| | | | X | | | | | | X | Multi-Drive PF525 EENet | 1.003, 1.005, 2.002, 2.003, 3.001, 4.001, 5.001, 5.002, 6.001 |
| | | | X | | | | | | X | 25-COMM-D | 1.001 |
| | | | X | | | | | | X | Multi-Drive PF52x Dnet | 1.001 |
| | | | X | | | | | | X | 25-COMM-E2P | 1.001 |
| | | | X | | | | | | X | Multi-Drive PF52x E2P | 1.001 |
| | | | X | | | | | | X | 25-COMM-P | 1.001 |
| PowerFlex 4-Class AC Drives | | | | | | | | | | | |
| | | X | | | | | | | X | PowerFlex 4 drives | 2.003, 3.005, 4.002, 5.001, 6.001, 7.001, 7.002 |
| | | X | | | | | | | X | PowerFlex 4M drives | 1.001, 2.001, 2.002 |
| | | X | | | | | | | X | PowerFlex 40 drives | 1.001, 2.001, 3.002, 3.003, 4.001, 5.001, 6.001, 6.002, 7.001, 7.002 |
| | | X | | | | | | | X | PowerFlex 40P drives | 1.001, 2.001, 3.001 |
| | | X | | | | | | | X | PowerFlex 400 drives | 1.003, 3.003, 4.001, 5.003, 6.001, 7.001, 8.001, 8.002 |
| | | X | | | | | | | X | PowerFlex 400N drives | 3.001 |
| | | X | | | | | | | X | PowerFlex 400P drives | 1.001, 3.001, 4.001 |

TABLE 1: CCW Device Database Installers

| <div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);"> Misc. DPI Hosts PowerFlex 4-Class Peripherals PowerFlex 4-Class AC Drives PowerFlex 520 Series PowerFlex DC Drives PowerFlex 7-Class Peripherals PowerFlex MV AC Drives PowerFlex 7-Class AC Drives PowerFlex 750 Series All CCW and Logix Database Files (RECOMMENDED) </div> <div style="text-align: center;">Device</div> </div> | | | | | | | | | | Supplied Firmware Versions (New items in this release in Bold Red) |
|--|--|--|--|--|--|--|--|---|------------------------------|---|
| PowerFlex 4-Class Peripherals | | | | | | | | | | |
| X | | | | | | | | X | 22-COMM-B | 1.002, 1.003 |
| X | | | | | | | | X | 22-COMM-C | 1.003, 1.004 |
| X | | | | | | | | X | Multi-Drive 22-COMM-C | 1.004 |
| X | | | | | | | | X | 22-COMM-D | 1.001, 1.003, 1.004, 1.008, 1.010, 1.011 |
| X | | | | | | | | X | Multi-Drive 22-COMM-D | 1.003, 1.004, 1.008, 1.011 |
| X | | | | | | | | X | 22-COMM-E | 1.002, 1.003, 1.004, 1.006, 1.007, 1.008, 1.009 |
| X | | | | | | | | X | Multi-Drive 22-COMM-E | 1.002, 1.006, 1.007, 1.008, 1.009 |
| X | | | | | | | | X | 22-COMM-P | 2.001, 2.003, 2.005 |
| X | | | | | | | | X | 1769-SM2 | 1.001, 2.001 |
| X | | | | | | | | X | Multi-Drive 1769-SM2 | 1.001, 2.001 |
| X | | | | | | | | X | 22-SCM-232 | 1.001, 2.001, 2.002, 2.003, 2.005, 2.006 |
| X | | | | | | | | X | 22-WIM-Nx | 1.002 |
| X | | | | | | | | X | 1203-USB (DSI Mode) | 1.003, 1.004 |
| X | | | | | | | | X | 22-HIM-A3 | 2.002, 2.004, 2.006 |
| X | | | | | | | | X | 22-HIM-A3 Series C | 3.001, 4.001 |
| Miscellaneous Hosts | | | | | | | | | | |
| X | | | | | | | | X | Kinetix 3 | 3.006 |
| X | | | | | | | | X | SMC Flex | 3.005, 4.002, 4.005, 5.001, 6.001, 6.006, 6.008 |
| X | | | | | | | | X | MSR57 | 1.003, 1.005, 1.006 |
| X | | | | | | | | X | PowerFlex 700AC (Host) | 3.001, 3.003 |
| X | | | | | | | | X | PowerFlex 700AC (Peripheral) | 2.003, 2.004, 2.006, 3.001, 3.003 |
| X | | | | | | | | X | SMC-50 | 1.002, 2.001, 3.001, 4.002, 5.001, 5.002, 6.001, 6.003 |
| X | | | | | | | | X | 150-SM2 GndF/PTC/CT | 1.001 |
| X | | | | | | | | X | 150-SM3 Analog I/O | 1.001 |
| X | | | | | | | | X | 150-SM4 Input/Output | 2.001 |
| X | | | | | | | | X | 150-SM6 Dip Switch | 1.001 |