



The first name in wire processing

ARTOS
ENGINEERING COMPANY

45-064 / 45-065

LEVER STRIPPER






Perfect for low volume processing of wire and cable.

For low-volume processing of large wire and cable, our Lever Strippers are the ideal solution. With a large selection of blades available, you can cut insulation and remove slugs with minimal force – even strip parallel cable ribbon, and more!

Note: Blades are not included with base machines.

FEATURES

- Perfect for low volume processing of wire and cable.
- Long lever swings two knife-type blades, cutting insulation and removing slug with minimal force.
- Round blades will strip down to finest wire provided sufficient insulation thickness.
- Strips multiple wires of same gauge with one stroke using parallel flat blades.
- Strips parallel cable ribbon cable and cable up to 1-1/8 in. (2.86cm) diameter. Strips rubber, plastic (including PCV and polyethylene, fiberglass and fabric insulations.
- Large selection of blades available.



GENERAL OPTIONS

SPECIFICATIONS

WIRE SIZE (45-064)	Up to 0.50 in (12.5 mm)
WIRE SIZE (45-065)	Up to 1.125 in (28 mm)
STRIP LENGTH	Full strip removal to 2.5 in (63 mm). Longer strips possible with partial stripping.
DIMENSIONS (45-064) W/O HANDLE – LXWXH	11 x 7 x 5 in (279 x 178 x 127 mm)
DIMENSIONS (45-065) W/O HANDLE – LXWXH	11 x 7 x 5.75 in (279 x 178 x 146 mm)
WEIGHT	16 lb (7.3 kg)

Specifications are subject to change without notice, and exceptions may apply depending on application, wire and other variables. Optional equipment may require standard machine modification and/or later specifications.



To request a quote, contact a sales representative near you:

Artos Engineering Company

Machine Sales Group

21605 Gateway Court
Brookfield, WI 53045
U.S.A.

Phone: +1 (262) 252-4545

Fax: +1 (262) 252-4544

Web: <https://www.artosnet.com>

Email: sales@artosnet.com

