

11/1/81

© WILSON JONES COMPANY G7204 GREEN 7204 BUFF

© WILSON JONES COMPANY G7204 GREEN 7204 BUFF

Qty	Desc.	P/N
1		
2	1 5 Position Switch	24000700
3	1 5 Position Switch (Source)	24001000
4	1 Toggle Switch Gold	24100400
5	1 Toggle Switch Silver	24100700
6	1 Line Cord	25000700
7		
8		
9	2 2N6294	30002200
10	2 2N6296	30002300
11	2 2N4401	30002800
12	2 2N4403	30002900
13	2 1N4740A	30500300
14	6 1N4005	30500400
15	2 1N914	30600900
16	1 LM329DZ	31000700
17	4 LM318	31001100
18	6 MC340001-P	31001400
19	1 LED	34300100
20	1 MOL 1/4	34500100
21		
22	4 1K 1w 10%	40100304
23	4 100n 1/4w 5%	41100202
24	4 10m 1/4w 5%	41100702
25	1 15K 1/4w 5%	41150402
26	1 22m 1/4w 5%	41220702
27	1 56n 1/4w 5%	41560102
28		
29		
30	6 1K 1/4w 1%	42100302
31	7 10K 1/4w 1%	42100402
32	2 100K 1/4w 1%	42100502
33	2 1.21K 1/2w 1%	42121303
34	2 1.24m 1/4w 1%	42124602
35		
36		
37		
38		
39		
40		

Qty.	Desc.	P/N
2	1.5K 1/2W 1%	42150303
1	25.5K 1/4W 1%	42255402
2	301K 1/2W 1%	42301503
2	3.48K 1/4W 1%	42348302
2	35.7K 1/2W 1%	42357403
8	39.2K 1/2W 1%	42392403
2	243 Ω 1/8W 1%	42243201
2	49.9K 1/4W 1%	42499402
2	5.36K 1/4W 1%	42536302
3	56.2K 1/4W 1%	42562402
4	562K 1/4W 1%	42562502
2	2.37K 1/4W 1%	42237302
2	1.0 Ω 2W W.W.	43100002
4	100 Ω 2W W.W.	43100200
2	0.2 Ω 2W W.W.	43200001
1	47 Ω 2W W.W.	43470100
1	Volume Pot	45100523
1	BALANCE Pot	45100525
2	1000 μ f 40V	50100904
1	150 μ f 50V	50150803
4	10 μ f 16V TANT	51100700
8	0.33 μ f 100V	52330500
8	100pF STY	53100200
2	1000pF 160V STY	53100300
4	2200pF STY	53220302
10	0.22 μ f 100V	53220506
1	0.01 μ f 1600V	53100403
2	390pF STY	53390200
4	0.47 μ f 135V	53470507
4	5 μ f 200V	53500604
2	750pF STY	53750200

SUB 45100528

Qty	Desc	P/N
2	10 pf MICA	57100100
2	1000 pf MICA	57100300
2	20 pf MICA	57200100
2	100 pf MICA	57100201
2	270 pf MICA	57270200
1	TRANSFORMER	60041902
1	RELAY	64100600
4	AM-8 MODULES	70000810
4	AM-8 LABELS	91002610
2	FOAM PAK	92001902
1	Outer Box	92002201
1	DESSICANT	92200600
1	Poly BAG	92400800
1	MANUEL	