



- NOTES:
- 1: ALL RESISTORS 1/4 WATT, 1% TOLERANCE UNLESS OTHERWISE NOTED.
 - 2: ALL CAPACITORS 10% OR BETTER TOLERANCE.
 - 3: FOR NON-CRITICAL PARTS, SUBSTITUTIONS OF SUITABLE PARTS MAY BE MADE SO LONG AS CHANNEL TO CHANNEL TOLERANCE IS MAINTAINED.

PWR LED+ TP14
PWR LED- TP15




conrad-johnson design, inc.	
TITLE: PREM17MB REVISION 01AUG2K13 JCF	
Document Number: 275.1	REV: 1
Date: 10/12/1999 09:38:56a	Sheet: 1/1




conrad-johnson design, inc.
 TITLE: PR17FP
 Document Number: PC 275.2.2
 Date: 10/13/1999 09:36:14a

REV: 2
 Sheet: 1/1



CONRAD-JOHNSON DESIGN, INC.		
TITLE: PR171N (PREM 17LS I/O BOARD)		
Document Number:	PC 275.3	REV: 1
Date: 10/19/1999 09:22:14a	Sheet: 1/2	

1. UNCHANGED



H1 1 2 2 H2 1 2 2
 T0228PCH T0228PCH

CONRAD-JOHNSON DESIGN, INC.

TITLE: PR17IN (PREM 17LS I/O BD)

Document Number: PC 275.3

REV:
1

Date: 10/19/1999 09:22:14a

Sheet: 2/2