

LIGHTING OVERHEAD

Lighting

Overhead

LED OVERHEAD LIGHTING

ITC's line of LED lighting is at the forefront of green and energy efficient lighting. By combining our high standard on finish, design, and engineering with the technology of LED lighting, ITC is able to offer LED products that enable a seamless transition from traditional lighting to LED. In addition, ITC's LEDs offer a 50,000 hour life and low energy consumption enabling a more efficient power configuration for customers and end users alike.

OVERHEAD LIGHTING

The RV & Marine industries rely on quality overhead lighting to make spaces functional. Modern finishes and maximum light output push fixtures in the Radiance™ and Decor™ series by ITC to be the top choice of design and engineering decision makers. By combining aesthetics, functionality, and industry leading engineering, ITC continually brings desirable overhead lighting to new and existing customers.



LED Overhead Lighting

ITC's line of LED overhead lighting embraces energy saving benefits while providing a seamless transition from traditional halogen fixtures. Designed with high quality aesthetics and engineering in mind, ITC's LED overhead lighting provides high quality light output to illuminate spaces with the right amount of light needed. Offering 50,000 hours of illumination and a low energy draw, LEDs are the lighting advantage and premier choice for manufacturing & design.





MacAdam Ellipse, color control technology - color differences between fixtures guaranteed to be undetectable to the human eye.
 [Where this logo is present]

3" Radiance™ LED Overhead Light



- Standard clip-in, spring, or screw mounts.
- In conformance with FCC Part 18 (Noise & Interference)
- Power saving LED technology
- Pleasing warm white light output
- Light output is equivalent to ITC's 10 watt halogen
- Patent number 7,322,722



NOTE: See page 11 for mounting option details.


ITEM NUMBER	DESCRIPTION	LED COLOR TEMPERATURE	LUMENS	CUTOUT	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69231B-3KE	Spring Mount	3000K	160	2.25" Min	CSA	3.6	12V	0.26	100
69231BNS-3KE	Screw Mount								
69231BLS-3KE	Leaf Spring Mount								
69231B-6KE	Spring Mount	6000K							
420-00007	Replacement Lens	N/A							

* Leaf Spring Mount (69231BLS-3K) requires a minimum of 1/8" (3.0mm) thick mounting surface.

3" Radiance™ Water Resistant LED Overhead Light



- Water resistant for wet applications
- In conformance with FCC Part 18 (Noise & Interference)
- Power saving LED technology
- Pleasing warm white light output
- Light output is equivalent to ITC's 10 watt halogen
- Patent number 7,322,722




ITEM NUMBER	DESCRIPTION	LED COLOR TEMPERATURE	LUMENS	CUTOUT	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69231BNSWR	Watertight with Screw Mount	3000K	160	2.25" Min 2.5" Max	CSA	3.6	12V	0.26	100

4.5" Radiance™ LED Overhead Light



- Light output equivalent to 20 watt halogen
- In conformance with FCC Part 18 (Noise & Interference)
- Power saving LED technology
- Pleasing warm white light output
- Patent number 7,322,722



ITEM NUMBER	DESCRIPTION	LED COLOR	LUMENS	LED QTY	CUTOUT	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69240-21-3KE	Spring Mount	3000K	340	21 LED	3.5"	CSA	8.3	12V	.61	30
69240NS-21-3KE	Screw Mount									
69240-15-3KE	Spring Mount		260	15 LED						
69240NS-15-3KE	Screw Mount									
420-00008	Replacement Lens	N/A								

Lexan Series LED Overhead Lighting

ITC's Lexan series of LED overhead lights are among some of the most efficient LED fixtures on the market today. Each fixture is equipped with a special thermal conductive plastic housing designed for maximum heat dissipation that protects and extends the life of the fixture's LEDs. Additionally, Lexan fixtures are finished with state-of-the-art lenses that provide an even diffused flow while maximizing the light output.

3" Radiance™ Lexan Surface Mount LED Overhead Light





- Illuminated with 15 warm white LEDs
- Available with or without integral on/off switch
- Innovative Lexan lens provides the appearance of frosted glass while offering maximum light output and a soft diffused light
- FCC compliant



69234S-3KE

ITEM NUMBER	DESCRIPTION	LED COLOR TEMPERATURE	LUMENS	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69234-3KE	Non-Switched	3000K	175	CSA	3.2 W	12V	.27A	100
69234S-3KE	Switched							
420-00121	Replacement Lens	N/A						




Radiance™ - Beautiful LED Overhead Lighting

4.5" Radiance™ Lexan Surface Mount LED Overhead Light



- Illuminated with 15 warm white LEDs
- Available with or without integral on/off switch
- Innovative Lexan lens provides the appearance of frosted glass while offering maximum light output and a soft diffused light
- Light output comparable to ITC's 20W halogen
- Twist lock lens allows for easy installation and stylish appearance
- FCC compliant




69250PS-15-3KE

ITEM NUMBER	DESCRIPTION	LED COLOR TEMPERATURE	LUMENS	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69250PP-15-3KE	Non-Switched	3000K	265	CSA	4.9W	12V	.43A	100
69250PS-15-3KE	Switched							
420-00009	Replacement Lens	N/A						

3" Lexan Radiance™ LED Overhead Light



- 3" diameter available in spring or screw mount options
- Pleasing warm white light output
- Power saving LED technology
- Excellent thermal management for a long 50,000 hour estimated LED life
- Innovative Lexan lens provides the appearance of frosted glass while offering maximum light output and a soft diffused light
- FCC compliant




ITEM NUMBER	DESCRIPTION	CUTOUT	LED COLOR TEMPERATURE	LUMENS	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69231PC-9-3KE	3" Spring Mount	2.25"	3000K	160 LM	CSA	2.6W	12V	.21A	100
69231PCNS-9-3KE	3" Screw Mount								
69231PCLS-9-3KE	3" Leaf Spring Mount								
420-00119	Replacement Lens	[N/A]							
130-00085	Foam Gasket	[N/A]							

4.5" Lexan Radiance™ LED Overhead Light



- 4.5" diameter available in spring or screw mount options
- Pleasing warm white 3000K light output
- Power saving LED technology
- Excellent thermal management for a long 50,000 hour estimated LED life
- Innovative Lexan lens provides the appearance of frosted glass while offering maximum light output and a soft diffused light
- FCC compliant




ITEM NUMBER	DESCRIPTION	CUTOUT	LED COLOR TEMPERATURE	LUMENS	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69240PC-15-3KE	4.5" Spring Mount	3.5"	3000K	250 LM	CSA	3.8 W	12V	.32 A	100
69240PCNS-15-3KE	4.5" Screw Mount								
420-00118	Replacement Lens	[N/A]							
130-00084	Foam Gasket	[N/A]							

Corona™ LED Overhead Light



- Available with white, black, or stainless steel bezel
- Available in warm white 3000K or cool white 6500K LED color temperature
- Perfect solution for wet applications like showers or bathrooms.
- Power saving LED Technology
- Fully sealed and watertight
- 50,000 hour estimated life
- Frosted glass lens for a pleasing diffused glow
- Simple screw mount installation
- Mercury, Lead & UV free.




ITEM NUMBER	DESCRIPTION	BEZEL FINISH	CUTOUT	LED QTY	COLOR TEMPERATURE	LUMENS	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69235W-09-3K	Corona™ LED Overhead Light	White	3.5"	9	3000K	150 Lm	3.2 W	12 V	0.27 A	12
69235B-09-3K		Black								
69235SS-09-3K		Stainless Steel								
69235BS-09-3K		Brushed Stainless								
69235W-09-6K		White			6300K					
69235B-09-6K		Black								
69235SS-09-6K		Stainless Steel								
69235BS-09-6K		Brushed Stainless								

Single or Two-Color LED Hardtop Light



- Red/white, blue/white light or warm white color options
- No visible fasteners.
- Watertight
- Multi-color lights require three position switch (not included)
- Aluminum housing with frosted lens for pleasing diffused glow




ITEM NUMBER	DESCRIPTION	LED COLOR	LUMENS	CUTOUT	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69237SSNS-W	1 Color Hardtop Light	Warm White [3000K]	White: 200 Lm	3.625"	White: 6 W	10-14V	White: .5 A	40
69237SSNS-W/B	2-Color Hardtop Light	Warm White w/ Blue	Blue: 12 Lm		Blue: 2 W		Blue: .18 A	
69233SSNS-W/R		Warm White w/ Red	Red: 37 Lm		Red: 2 W		Red: .18 A	


Compass™ Swivel LED Light with Switch



- Center of light swivels 360° for limitless directed light output
- Complete with integral push lens switch
- Small, space saving design
- Cool to the touch operation
- Attractive transitional styling with a warm pleasing light output



Complete with integral push lens switch!





69410-NI3KE

ITEM NUMBER	DESCRIPTION	FINISH	LED COLOR TEMPERATURE	LUMENS	CUTOUT	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69410-NI3KE	Push Lens Switched Wing Spring Mount	Brushed Nickel	3000K	72	2"	1.01	11-14V	0.08	30
69410-CH3KE		Chrome							
69410-TF3KE		Truffle							

Compass™ Swivel LED Light [Non-Switched]



- Center of light swivels 360° for limitless directed light output
- Small, space saving design
- Cool to the touch operation
- Attractive transitional styling with a warm pleasing light output




69400-NI3KE

ITEM NUMBER	DESCRIPTION	FINISH	LED COLOR TEMPERATURE	LUMENS	CUTOUT	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69400-NI3KE	Non-Switched Swivel LED Light Spring Mount	Brushed Nickel	3000K	75	2"	1.08	11-14V	.08	30
69400-CH3KE		Chrome							
69400-TF3KE		Truffle							

Décor™ LED Cluster Overhead Light



- 9 warm white LED cluster
- Solid brass housing plated in nickel, chrome, or truffle
- Frosted glass lens
- Soft light with pleasing glow
- Warm White 3000K or cool white 6300K color options available
- Patent number 6,454,439




69929B-NI3KE/F

ITEM NUMBER	DESCRIPTION	FINISH	LED COLOR TEMPERATURE	LUMENS	LISTING	CUTOUT	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69929B-NI3KE/F	Flush Mount Overhead	Brushed Nickel	3000K	120	CSA	2.25"	2.5	12V	0.21	100
69929B-NI6KE/F			6300K							
69929B-CH3KE/F		Chrome	3000K							
69929B-TF3KE/F		Truffle								


Décor™ LED Cluster Overhead Light



- 9 warm white LED cluster
- Solid brass housing plated in nickel or chrome
- Frosted glass lens
- Soft light with pleasing glow
- Warm white 3000K or cool white 6300K color options available
- Patent number 6,454,439



69926B-NI3KE/F




ITEM NUMBER	DESCRIPTION	FINISH	LED COLOR TEMPERATURE	LUMENS	LISTING	CUTOUT	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69926B-NI3KE/F	Flush Mount Overhead	Brushed Nickel	3000K	120	CSA	2.5"	2.5	12V	0.21	100
69926B-CH3KE/F		Chrome								
69926B-NI6KE/F		Brushed Nickel	6300K							


Décor™ LED Cluster Surface Mount Overhead Light



- 9 warm white LED cluster
- Solid brass housing plated in nickel or chrome
- Frosted glass lens
- Soft light with pleasing glow
- Warm white 3000K or cool white 6300K color options available
- Patent number 6,454,439



69927B-NI3KE/F



ITEM NUMBER	DESCRIPTION	LED COLOR	LUMENS	FINISH	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69927B-CH3KE/F	LED Cluster Overhead	3000K	120	Chrome	CSA	3.2	12V	0.24	100
69927B-NI3KE/F				Brushed Nickel					
69927B-NI6KE/F		6300K							




Décor™ - Versatile & Attractive LED Overhead Lighting

Décor™ LED Cluster Overhead Light



- 9 warm white LED cluster
- Solid brass housing plated in nickel or chrome
- Frosted glass lens
- Simple surface mount installation
- Complete with integral toggle switch
- Soft light with pleasing glow
- Warm white 3000K or cool white 6300K color options available




69928B-CH3KE/F

ITEM NUMBER	DESCRIPTION	FINISH	LED COLOR	LUMENS	LISTING	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69928B-NI3KE/F	Flush Mount Overhead	Brushed Nickel	3000K	120	CSA	3.2	12V	0.24	100
69928B-CH3KE/F		Chrome							

Décor™ Square LED Cluster Overhead Light




- 9 warm white LED cluster
- Solid brass housing plated in nickel or chrome
- Frosted glass lens
- Soft light with pleasing glow
- Warm white 3000K or cool white 6300K color options available





69926BSQF-CH/NI

ITEM NUMBER	DESCRIPTION	FINISH	LISTING	LED COLOR TEMPERATURE	LUMENS	CUTOUT	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69926BSQFCHNI3K	Square Bezel Overhead	Chrome Bezel/ Nickel Inner Ring	CSA	3000K	120	2.25"	3.2	12V	0.24	100
69926BSQFCHNI3K-24								24V		



Prizm™ Recessed LED Overhead Light



- Thin profile, flush mount light with 1/2" recess
- Trim ring & reflector provide luminous overall glow
- Sleek contemporary design for a high-end look
- Several finish options available



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	LED COLOR TEMPERATURE	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69290-NI-3K	Recessed Mount LED Overhead	Brushed Nickel	CSA	2.125"	3000K	2.2	13.6	.16	100
69290-CH-3K		Chrome							
69290-TF-3K		Truffle							

Prizm™ Surface Mount LED Overhead Light



- Thin, 1" profile surface mount fixture
- Trim ring & reflector provide luminous overall glow
- Sleek contemporary design for a high-end look
- Several finish options available



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	LED COLOR TEMPERATURE	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69292-NI-3K	Surface Mount LED Overhead	Brushed Nickel	CSA	N/A	3000K	2.2	13.6	.16	100
69292-CH-3K		Chrome							
69292-TF-3K		Truffle							

Prizm™ Semi-Surface Mount LED Overhead Light



- Thin, .5" profile surface mount fixture
- Trim ring & reflector provide luminous overall glow
- Sleek contemporary design for a high-end look
- Several finish options available



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	LED COLOR TEMPERATURE	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69294-NI-3K	Semi-Surface Mount LED Overhead	Brushed Nickel	CSA	2.125"	3000K	2.2	13.6	.16	100
69294-CH-3K		Chrome							
69294-TF-3K		Truffle							

Prizm™ Switched Surface Mount LED Overhead Light


- Thin, 1" profile surface mount switched fixture
- Trim ring & reflector provide luminous overall glow
- Sleek contemporary design for a high-end look
- Several finish options available



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	LED COLOR TEMPERATURE	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69295-NI-3K	Semi-Surface Mount LED Overhead	Brushed Nickel	CSA	2.125"	3000K	2.2	13.6	.16	100
69295-CH-3K		Chrome							
69295-TF-3K		Truffle							

2 Watt G4 LED Replacement Bulb


- Replaces halogen G4 bulbs
- 10-28V for use in 12V or 24V systems
- Available with side pin or rear pin
- Reduces power consumption by 80%



ITEM NUMBER	DESCRIPTION	LED COLOR TEMPERATURE	LUMENS	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69380-N3.5K	Side Pin	3500K	120	2	10-28V DC	.16 @ 12V DC	Sold Individually
69380-N6K		6000K					
69385-N3.5K	Rear Pin	3500K					
69385-N6K		6000K					

1.5 Watt Wedge Base LED Replacement Bulb


- Replaces wedge base incandescent bulbs
- Replaces ITC Bulbs: 912 BULB and 921 BULB
- 10-14V for use in 12V systems
- Reduces power consumption by 80%
- Same color and light output as ITC overhead lighting
- MacAdam Ellipse color binning - color differences between fixtures guaranteed to be undetectable to the human eye.



ITEM NUMBER	DESCRIPTION	LED COLOR TEMPERATURE	LUMENS	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69912B-3K	Wedge Base Replacement Bulb	3000K	136	1.6	10-14V DC	.13 @ 12V DC	Sold Individually

Wedge Base LED Replacement Bulb


- Direct replacement for wedge base incandescent light bulbs [ITC 912 and 921 bulbs]
- Power saving LED technology reduces power consumption by 80%
- Dimmable with compatible low voltage dimmers.
[Contact ITC for more information]
- 10-14 volt for use in 12V systems
- 50,000 hour estimated life
- 3 year warranty



ITEM NUMBER	DESCRIPTION	BASE TYPE	LED COLOR TEMPERATURE	LUMENS	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69913-3K-L	Wedge Base LED Replacement Bulb	Wedge Base	3000K	150 LM	2.6 W	10-14 V	.19 A	100

Bayonet Base LED Replacement Bulb

- Direct replacement for bayonet base decorative light bulbs [ITC 39111 and 39112 bulbs]
- Power saving LED technology reduces power consumption by 80%
- Dimmable with compatible low voltage dimmers.
[Contact ITC for more information]
- 10-14 volt for use in 12V systems
- 50,000 hour estimated life
- 3 year warranty
- Use with ITC's Savannah series decorative lights



ITEM NUMBER	DESCRIPTION	BASE TYPE	LED COLOR TEMPERATURE	LUMENS	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
69914-3K-L	Bayonet Base LED Replacement Bulb	Bayonet Base	3000K	150 LM	2.6 W	10-14 V	.19 A	100

Halogen Overhead Lighting



ITC's overhead lighting enhances a space with quality light and clarity. Designed to fit multiple applications, our selection of overhead lighting helps capture the beauty of your RV or boat with style and design.

* All halogen overhead lighting is available in 24V as special order. Contact ITC for more information.

* All halogen overhead lighting is available with 12V or 24V Xenon bulb. Contact ITC for more information.

3" Radiance™ Overhead Light

- 10 watt patented overhead halogen with twist lock glass installation
- Cooler operating temperature than most halogens
- Soft, powerful glow
- No fasteners required for installation on most models
- New longer life halogen bulb
- Patent number 7,322,722





ITEM NUMBER	DESCRIPTION	GLASS	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81229	Standard Spring Clip Mount	Frosted	CSA	2.25"	819-BULBS 12V	10	12V	0.83	100
81230	Premium Spring Clip Mount								
81230NS	Screw Mount								
81230WR	Watertight Premium Spring Clip								
81229-ALB	Standard Spring Clip Mount	Alabaster							
81230-ALB	Premium Spring Clip Mount								
81230ALB-WR	Watertight Premium Spring Clip								
81230ALB-NSWR	Watertight Screw Mount								
81230-LENS	Frosted Replacement Lens	n/a							200
81230ALB-LENS	Alabaster Replacement Lens	n/a							200

*Standard Spring Mount (81229) requires a minimum of 1/8" (3.0mm) thick mounting surface.

4.5" Radiance™ Overhead Light


- 20 watt patented halogen overhead fixture with twist-lock glass installation
- No fasteners required for installation on most models
- Cooler operating temperature than most halogens
- New longer life halogen bulb
- Soft, powerful glow
- Patent number 7,322,722



ITEM NUMBER	DESCRIPTION	GLASS	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81232	Spring Clip Mount	Frosted	CSA	3.5"	88002	20	12V	1.67	40
81232ALB		Alabaster							
81232-NS	Screw Mounting Fixture	Frosted							
81232-LENS	Replacement Lens								
81232ALB-LENS	Alabaster Replacement Lens	Alabaster	n/a						200

Surface Mount Radiance™ Overhead Light


- Patented 10 watt halogen overhead fixture in a brushed nickel finish
- Surface mount with twist-lock glass installation
- Soft, powerful glow




ITEM NUMBER	DESCRIPTION	GLASS	LISTING	BULB NUMBER	WATTAGE	AMP DRAW	CASE QTY
81227-NI	Surface Mount Overhead Light	Frosted	CSA	819-BULBS 12V	10	0.83	100

Aurora™ Bezel Options


- Enhance the 4.5" Radiance Overhead with stylish bezel options
- Available in multiple finishes, these bezels add an extra element of design to any decor



Bezel Only



81232 series overhead with 81232AB-BEZEL




ITEM NUMBER	DESCRIPTION	BEZEL FINISH	CASE QTY
81232NI-BEZEL	Bezel for 4.5" Radiance 81232 Series Overhead	Brushed Nickel	50
81232AB-BEZEL		Antique Brass	
81232W-BEZEL		White	

Sapphire™ Overhead Halogen Light

- Thin profile, flush mount light with 4.25" diameter bezel
- Reflector provides maximum light output
- Domed, frosted glass lens



81297-NI




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81297-NI	Overhead Halogen Fixture	Brushed Nickel	CSA	3"	88002	20	12V	1.67	100
81297-CH		Chrome							
81297-TF		Truffle							

Corona™ Halogen Light

- Flush mount, low profile overhead light
- Fully sealed and watertight
- Designed for exterior use
- Frosted, slightly convex lens




81235SS



ITEM NUMBER	DESCRIPTION	BEZEL FINISH	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81235SS	Overhead Halogen Fixture	304 Polished Stainless Steel	3.75"	88002	20	12V	1.67	100
81235-B		Black						

5" Surface Mount Shower Light


- Frosted white molded plastic trim ring
- Fully sealed & watertight light
- Ideal for wet applications
- Surface Mount
- CSA listed for wet locations




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81870-WH	5" Shower Light	White	CSA	88002	10W	12V	0.83A	100

Prizm™ Recessed Overhead Halogen Light

- Thin profile, flush mount light with 1/2" recess
- Trim ring & reflector provide luminous overall glow
- Bee's eye lens
- Several finish options available




81290-TF




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81290-CH	Flush Mount Halogen	Chrome	CSA	2.125"	819-BULBS 12V	10	12V	0.83	100
81290-NI		Brushed Nickel							
81290-W		White							
81290-TF		Truffle							
81291-W	Watertight Halogen Light	White							
81290F-NI	Halogen with Frosted Lens	Brushed Nickel							

Prizm™ Surface Mount Overhead Halogen Light

- Surface mount fixture extending 1" from surface
- Intense light output
- Several finish options available



81292-NI




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81292-CH	Surface Mount Halogen	Chrome	CSA	819-BULBS 12V	10	12V	0.83	100
81292-BR		Brass						
81292-NI		Brushed Nickel						
81292-W		White						
81292XF-NI	Xenon Light w/ Frosted Lens	Brushed Nickel		68929 BULB				

Prizm™ Switched Overhead Halogen Light

- Intense light output
- On/Off rocker switch
- Extends 1" from mounting surface
- Twist-lock trim ring
- Several finish options available



81295-NI




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81295-BR	Switched Surface Mount Halogen	Brass	CSA	819-BULBS 12V	10	12V	0.83	100
81295-NI		Brushed Nickel						
81295-TF		Truffle						

Décor™ Flush Mount Overhead Halogen Light

- Solid brass plated in multiple finish options
- Flush mount fixture
- Glass bee's eye lens
- Intense light output
- Patent number 6,454,439



81929-NI




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81929-CH	Flush Mount Overhead	Chrome	CSA	2.25"	819-BULBS 12V	10	12V	0.83	100
81929-NI		Brushed Nickel							
81929-TF/F		Truffle/Frosted Lens							

Décor™ Premium Flush Mount Overhead Halogen Light

- Premium spring clip mounting
- Glass bee's eye lens
- Solid brass with multiple finish options
- Patent number 6,454,439



81926-NI




ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81926-CH	Spring Clip Overhead	Chrome	CSA	2.5"	819-BULBS 12V	10	12V	0.83	100
81926-BR		Brass							
81926-NI		Brushed Nickel							

Décor™ Premium Surface Mount Overhead Halogen Light

- Solid brass design
- Modern finishes to complement décor
- Intense light output and bee's eye lens
- Patent number 6,454,439




81927-NI



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81927-CH	Surface Mount Overhead	Chrome	CSA	819-BULBS 12V	10	12V	0.83	100
81927-NI		Brushed Nickel						

Décor™ Switched Overhead Halogen Light

- Solid brass design plated in chrome
- Easy installation
- Toggle Switch
- Intense light output with our bee's eye lens
- Patent number 6,454,439



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81928-CH	Surface Mount Overhead w/Switch	Chrome	CSA	819-BULBS 12V	10	12V	0.83	100

Square Recessed Halogen Light

- Solid brass design plated in chrome & nickel combination
- Premium spring clip installation
- Intense light output with our bee's eye lens
- Salt spray tested
- Patent number 6,454,439



81926SQF-CH/NI

ITEM NUMBER	DESCRIPTION	FINISH	LISTING	CUTOUT	BULB NUMBER	WATTAGE	VOLTAGE	AMP DRAW	CASE QTY
81926SQX-CH/NI	Square Xenon Light with Spring	Chrome w/ Nickel Ring	CSA	2.25"	819-BULBS 12V	10W	12V	0.83	100
81929SQ-NI/CH	Square Xenon Light with Leaf Spring	Nickel w/ Chrome Ring							

Digital Dimmer Switches

ITC's selection of dimmer switches are designed to fit a variety of marine and RV applications. Choose from the standard Digital Dimmer, Backlit LED Digital Dimmer, or our new Radio Frequency (RF) dimmer designed to fit the needs of marine and RV manufacturers alike.


Backlit LED Digital Dimmer

- 10-24V DC dimmer can handle up to 100 watts of draw
- Works with halogen and LED fixtures
- CSA Listed
- LED backlit power button/night light illuminates until turned on
- Separate power switch allows for maintaining desired light output level
- Dimming positions allow even transition by pressing and holding adjustment buttons
- Slim styling, size and depth designed for marine & RV applications
- Dimming range: 5% - 100%
- Simple 3 wire installation
[Installation instructions available]



21030-BKBNBK

[Dimmer Comes Complete with Black & Nickel Bezel]



ITEM NUMBER	DESCRIPTION	FACE PLATE FINISH	INTERIOR & BUTTON FINISH	LISTING	MAX WATTAGE	VOLTAGE	MAX AMP DRAW	CASE QTY
21030-BKBNBK	Backlit LED Digital Dimmer	Black & Nickel Included	Black	CSA	100	10-24V	8.3 A @ 12V DC 4.16A @ 24V DC	50

Wireless LED Dimmer/Receiver System



- Radio frequency wireless functionality
- Easy to configure and installs in minutes
- Mounts in a standard size junction box
- Replaceable battery (CR2032) lasts approximately 60,000 on/off activations and/or 20,000 dimming activations
- 300 foot frequency range for dimming capabilities
- Unique ID for each switch activates only with intended receiver
- Faceplate available in black, white, or nickel
- System has the storage capacity for use with up to 15 independently operated devices



21040W-WH Wireless Switch



21041 Wireless Receiver



ITEM NUMBER	DESCRIPTION	SWITCH FINISH	HOUSING & FACEPLATE FINISH	FREQUENCY	MAX WATTAGE	VOLTAGE	MAX AMP DRAW	CASE QTY
21040W-WH	Wireless LED Dimmer	White	White	121 HZ	100 W Max	10-24 V	10 A Max [At 12 V]	6
21040B-NI		Black	Nickel					
21040B-BK		Black	Black					
21041	Wireless Receiver	White	[N/A]					


Digital Dimmer Switch

- LED compatible
- 12V DC 100 watt dimmer can handle up to 80 watts of draw
- Adjusts light output in a gradual transition from 15-100%
- 4 wire input/output for simple wiring
- Installation/wiring instructions available



Shown with nickel cover plate

Cover Plate Finish Options



ITEM NUMBER	DESCRIPTION	FINISH	LISTING	MAX WATTAGE	VOLTAGE	MAX AMP DRAW	CASE QTY
21005	Digital Dimmer w/ Black Cover Plate	Black	CSA	80	12V	6.7A @ 12V DC	50
21006-AL	Almond Cover Plate & Knob	n/a					
21006-BR	Brass Cover Plate & Knob						
21006-CH	Chrome Cover Plate & Knob						
21006-NI	Brushed Nickel Cover Plate & Knob						
21006-WH	White Cover Plate & Knob						
21008-BL	Black Cover Plate						