



Bid Specifications

Date Originated: 11/10/05

Revision: A

Revision Date:

Standards No. 500068-01

Subject: Verbiage Tag Bezel Assembly Bid Specifications

Verbiage Tag Bezel Assemblies

Innovative Controls verbiage tag bezels shall be installed. The bezel assemblies will be used to identify apparatus components. These tags shall be designed and manufactured to withstand the specified apparatus service environment and shall be backed by a warranty equal to that of the exterior paint and finish. The verbiage tag bezel assemblies shall include a chrome-plated plastic panel-mount bezel with a durable easy-to-read polycarbonate insert featuring specified verbiage. The polycarbonate graphic insert shall be sub-surface screen printed to eliminate the possibility of wear. UV resistant inks shall be used to reduce fading. Both the polycarbonate insert label and bezel shall be backed with 3M permanent adhesive.





Bid Specifications

Date Originated: 11/10/05

Revision: A

Revision Date:

Standards No. 500068-02

Subject: Safety Message Bezel Assembly Bid Specifications

Safety Message Bezel Assemblies

Innovative Controls safety message bezels shall be installed. The bezel assemblies will be used to identify, instruct, or warn the operators. These tags shall be designed and manufactured to withstand the specified apparatus service environment and shall be backed by a warranty equal to that of the exterior paint and finish. The safety message bezel assemblies shall include a chrome-plated plastic panel-mount bezel with a durable easy-to-read polycarbonate insert featuring ANSI safety standard graphics or custom graphics. The polycarbonate graphic insert shall be sub-surface screen printed to eliminate the possibility of wear. UV resistant inks shall be used to reduce fading. Both the graphic insert and bezel shall be backed with 3M permanent adhesive.





Bid Specifications

Date Originated: 11/10/05

Revision: A

Revision Date:

Standards No. 500068-03

Subject: Message Bezel and Verbiage Tag Assembly Dimensions

