




PARTS LIST







Ref. No.	Part No.	Description	Remarks	Common models
32:00:00	NA:06:74:70	Drive Circuit Board	ドライブシート	
42:00:00	FZ:00:06:80	Metalized Mylar Cap. 250V 0.1 μ F	メタライズドフィルム 0.1 μ	
42:00:00	FH:61:03:00	Ceramic Capacitor 500V 3PF	セラコン 3 P	
42:00:00	FH:61:06:00	-do.- 500V CH6PF	" 6 P	
42:00:00	FH:61:05:00	-do.- 500V CH5PF	" 5 P	
42:00:00	FM:10:81:00	Bipolar Electrolytic Cap.6.3V 100 μ F VERT	バイポーラコン100 μ	
42:00:00	HW:10:44:70	Fuse Resistor 100MA 47 Ω	ヒューズ抵抗 47 Ω	
42:00:00	HW:19:53:90	-do.- 25MA	" 390 Ω	
42:00:00	HW:10:42:20	-do.- 150MA 22 Ω	ヒューズ抵抗 22 Ω	
42:00:00	HL:42:61:00	Metal Oxide Film Resistor 2W 1K Ω	酸化金抵抗 1 K Ω	
42:00:00	HL:62:61:20	-do.-	" 1.2K Ω	
42:00:00	HU:87:56:80	Metal Film Resistor RP42A F680 Ω	金属被膜抵抗 680 Ω	
42:00:00	HU:87:63:30	-do.- RP42A F3.3K Ω	" 3.3K Ω	
42:00:00	HU:87:67:50	-do.- RP42A F7.5K Ω	" 7.5K Ω	
42:00:00	HU:87:72:20	-do.- RP42A F22K Ω	" 22K Ω	
42:00:00	HY:00:03:80	Variable Resistor B2.2K CR29R	メタルグレース V R B 2.2K	
42:00:00	HY:00:03:50	-do.- CR29R B100K	" B100K	
42:00:00	IA:05:61:20	Transistor 2SA561	トランジスター	
42:00:00	IA:08:58:00	-do.- 2SA858	"	
42:00:00	IA:08:72:10	-do.- 2SA872A	"	
42:00:00	IA:08:72:20	-do.- 2SA872BV	"	
42:00:00	IA:08:10:00	-do.- 2SA810	"	
42:00:00	IC:07:34:20	-do.- 2SC734	"	
42:00:00	IC:14:39:00	-do.- 2SC1439	"	
42:00:00	IC:14:52:00	-do.- 2SC1452BV	"	
42:00:00	IC:17:75:10	-do.- 2SC1775A	"	
42:00:00	IC:17:75:20	-do.- 2SC1775B	"	
42:00:00	IF:00:00:40	Diode 1S-1555	ダイオード 1S-1555	
42:00:00	IH:00:02:40	Diode 1S1885 Servicing 420000IH000060	" 1S-1885	
42:00:00	IF:00:05:40	Varistor HV23GY	バリスタ H V 23	
42:00:00	IF:00:05:30	-do.- HV46R	" H V 46	
42:00:00	IZ:00:01:00	FET 2SK43	2 S K 43 ベア	
42:00:00	LB:60:04:20	Connector Housing 2145-8A	コネクタコンハウジング	
42:00:00	LB:30:03:00	Connector 5036-A6	コネクタコンウエハー	
32:00:00	BA:06:85:60	Heat Sink	放熱器	
32:00:00	BB:06:45:50	Thermo-Coupler	サーモカップラー	
32:00:00	NA:06:74:80	Electrolytic Capacitor C.B.	ケミコンシート	Canadian & B.S. models
42:00:00	IH:00:02:10	Diode S5151	ダイオード	
42:00:00	IH:00:02:20	-do.- S5151R	"	
42:00:00	FZ:00:01:90	Electrolytic Cap. 63V 18000 μ F LUG	ケミコン 18000 μ	
42:00:00	FZ:00:06:50	Mylar Capacitor 630V MMH(M) 0.01 μ F	マイラーコン 0.01 μ	

Ref. No.	Part No.	Description	Remarks	Common models
	32 00 00 NA 06 74 90	Power Supply C.B.	電源シート	General & U.S. models
	42 00 00 FZ 00 06 50	Mylar Capacitor 630V MMH(M) 0.01 μ F	マイラーコン0.01 μ	
	42 00 00 FH 61 14 70	Ceramic Capacitor 500V CH47PF	セラコン47P	
	42 00 00 FM 09 62 20	Bipolar Electrolytic Cap. 16V 2.2 μ F VERT	バイポーラコン2.2 μ	
	42 00 00 FM 11 71 00	-do.- 50V 10 μ F VERT	" 10 μ	
	42 00 00 GD 90 00 50	Air Core Coil 3 μ H	空芯コイル3 μ H	
	42 00 00 HL 40 73 90	Metal Oxide Resistor 1/2W 39K Ω	酸化抵抗39K Ω	
	42 00 00 HL 41 51 00	-do.- 1W 100 Ω	" 100 Ω	
	42 00 00 HL 41 71 00	-do.- 1W 10K	" 12K Ω	
	42 00 00 HY 00 03 70	Variable Resistor CR19R B4.7K	メタルグレース VRB 4.7K Ω	
	42 00 00 HZ 00 07 10	Fire-Proof Resistor 1P 4.7 Ω	不燃性抵抗4.7K Ω	
	42 00 00 HV 87 81 00	Metal Film Resistor RP42A F100K Ω	金属被膜抵抗100K Ω	
	42 00 00 HV 87 52 70	-do.- RP42A F27K Ω	" 270K Ω	
	42 00 00 IA 07 40 00	Transistor 2SA740	トランジスター	
	42 00 00 IA 07 63 00	-do.- 2SA763	"	
	42 00 00 IA 08 58 00	-do.- 2SA858	"	
	42 00 00 IC 04 58 80	-do.- 2SC458	"	
	42 00 00 IC 07 34 20	-do.- 2SC734	"	
	42 00 00 IC 07 89 10	-do.- 2SC789 (LB, O, Y)	"	
	42 00 00 IC 11 66 10	-do.- 2SC1166 (GRY, O)	"	
	42 00 00 IC 14 39 00	-do.- 2SC1439	"	
	42 00 00 IC 14 48 00	-do.- 2SC1448	"	
	42 00 00 IF 00 00 40	Diode 1S1555	ダイオード	
	42 00 00 IH 00 00 80	-do.- 10DC-1	"	
	42 00 00 IH 00 01 40	-do.- 10DC-4	"	
	42 00 00 IH 00 01 50	-do.- 10DC-4R	"	
	42 00 00 IH 00 02 40	-do.- 1S1885 Servicing 420000IH000060	"	
	42 00 00 IF 00 05 30	Varistor HV46R	バリスタ	
	42 00 00 IF 00 03 50	Zener Diode WZ-130	シェナーダイオード	
	42 00 00 IF 00 05 00	-do.- BQB01-30	"	
	42 00 00 LB 20 05 70	Fuse Holder Pin SN5053 KA6065	ヒューズホルダーピン	
	42 00 00 KC 00 02 70	Relay LY-2-0-05	リレーLY-2-0-05	YP-1000
	32 00 00 BA 06 47 40	Heat Sink	放熱板	B-2
	32 00 48 NA 06 75 10	Meter Lamp Circuit Board	メーター & ランプシート	
	42 00 00 FP 15 66 80	Tantalum Capacitor 35V 6.8 μ F	メタルコンデンサ 6.8 μ	
	42 00 00 HL 43 56 80	Metal Oxide Film Resistor 3W 680 Ω	酸化抵抗680 Ω	

Ref. No.	Part No.	Description	Remarks	Common models
42:00:00	HY:00:03:80	Variable Resistor B2.2K CR29R	メタルグレース V R B 2.2KΩ	
42:00:00	HY:00:03:60	—do.— CR29R B10K	" B10KΩ	
42:00:00	HY:00:03:50	—do.— CR29R B100K	" B100KΩ	
42:00:00	CA:05:61:20	Transistor 2SA561	トランジスター	
42:00:00	IA:06:71:90	2SA671 Servicing 420000IA048910	"	
42:00:00	IA:07:63:00	Transistor 2SA763	"	
42:00:00	IC:04:58:80	—do.— 2SC458	"	
42:00:00	IC:07:34:20	—do.— 2SC734	"	
42:00:00	IC:10:61:80	2SC1061 Servicing 420000IC078910	"	
42:00:00	IC:13:45:40	Transistor 2SC 1345 (D, E)	"	CA-1000
42:00:00	IF:00:00:40	Diode 1S1555	ダイオード1S-1555	CR-1000
42:00:00	IF:00:03:20	Zener Diode WZ-061	ツェナーダイオード W Z - 0 6 1	
42:00:00	IF:00:05:40	Varistor HV23GY	バイスターHV23	
42:00:00	IF:00:05:30	—do.— HV46R	" HV46	
42:00:00	IG:00:09:70	IC TA7129P	T A 7 1 2 9 A P	
32:00:00	NA:06:75:20	Power Fet Circuit Board B-2	パワーFETシート	
42:00:00	HM:55:22:20	Cement Holder Resistor 5W 0.22Ω	セメント抵抗0.2Ω	
42:00:00	HM:55:41:00	—do.— 5W 10Ω	" 10Ω	
42:00:00	LB:60:04:20	Connector Housing 2145-8A	コネクタ コンハウジング	
32:00:00	NA:06:75:30	Connector Circuit Board	コネクタシート	
42:00:00	LB:60:04:10	Connector Wafer	コネクタコンウェハー	
32:00:00	NA:06:75:40	Volume Circuit Board	V R シート	
42:00:00	HS:11:01:40	Variable Resistor B25K 16mm	V R 16 B2.5KΩ	
42:00:00	LB:50:01:30	Connector Socket SD5119-5A5MM	ミニチュア コネクタソケット	
32:00:00	NA:06:75:50	Selector Circuit Board	セレクターシート	
42:00:00	KA:70:08:30	4 Multi Push Switch SPU046A11	4 連プッシュSW	

