





■ SCHEMATIC DIAGRAM (FUNCTION 1/2)

- \* All voltages are measured with a 10MΩ/V DC electric volt meter.
- \* Components having special characteristics are marked  $\Delta$ , and must be replaced with parts having specifications equal to those originally installed.
- \* Schematic diagram is subject to change without notice.
- 電圧は、内部抵抗10MΩの電圧計で測定したものです。
- $\Delta$ 印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
- 本回路図は標準回路図です。改良のため予告なく変更することがございます。



RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/DSP-AX530  
RX-V430/RX-V430RDS/HTR-5540/HTR-5540RDS/DSP-AX430




CAPACITOR		RESISTOR	
REMARKS	PARTS NAME	REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR	NO MARK	CARBON FILM RESISTOR (P-1)
①	TANTALUM CAPACITOR	①	METAL FILM RESISTOR (P-10)
NO MARK	CERAMIC CAPACITOR	②	METAL OXIDE FILM RESISTOR
②	CERAMIC TUNABLE CAPACITOR	③	METAL FILM RESISTOR
③	POLYESTER FILM CAPACITOR	④	FILM THIN-FILM CARBON FILM RESISTOR
④	POLYPROPYLENE FILM CAPACITOR	⑤	PRECISION THIN-FILM RESISTOR
⑤	MYICA CAPACITOR	⑥	CURRENT-HOLDING RESISTOR
⑥	POLYPROPYLENE FILM CAPACITOR	⑦	PRECISION VARIABLE RESISTOR
⑦	BIPOCONDUCTIVE CERAMIC CAPACITOR	⑧	DRIFT RESISTOR


**NOTICE (model)**

- (J) ..... JAPANESE
- (U) ..... U.S.A.
- (C) ..... CANADIAN
- (R) ..... GENERAL
- (A) ..... AUSTRALIAN
- (B) ..... BRITISH
- (E) ..... EUROPEAN
- (I) ..... CHINA
- (L) ..... SINGAPORE

Part No.	Part Name	QTY	Remarks
41	RES	1	①
42	RES	1	②
43	RES	1	③
44	RES	1	④
45	RES	1	⑤
46	RES	1	⑥
47	RES	1	⑦
48	RES	1	⑧
49	RES	1	⑨
50	RES	1	⑩



■ SCHEMATIC DIAGRAM (FUNCTION 2/2)



RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/DSP-AX530 only

REMARKS	PARTS NAME	QTY
NO MARK	ELECTROLYTIC CAPACITOR	10
①	TANTALUM CAPACITOR	10
NO MARK	CERAMIC CAPACITOR	10
②	CERAMIC TUBULAR CAPACITOR	10
③	POLYESTER FILM CAPACITOR	10
④	POLYETHYLENE FILM CAPACITOR	10
⑤	MICA CAPACITOR	10
⑥	POLYPROPYLENE FILM CAPACITOR	10
⑦	SEMICONDUCTIVE CERAMIC CAPACITOR	10


REMARKS	PARTS NAME	QTY
NO MARK	CARBON FILM RESISTOR (P=1)	10
①	CARBON FILM RESISTOR (P=10)	10
②	METAL OXIDE FILM RESISTOR	10
③	METAL FILM RESISTOR	10
④	METAL PLATE RESISTOR	10
⑤	FINE PORE CARBON FILM RESISTOR	10
⑥	CEMENT MOLDED RESISTOR	10
⑦	SEMI-VARIABLE RESISTOR	10
⑧	CHIP RESISTOR	10

NOTICE (model)




- (J)..... JAPANESE
- (U)..... U.S.A
- (C)..... CANADIAN
- (E)..... EUROPEAN
- (A)..... AUSTRALIAN
- (B)..... BRITISH
- (G)..... EUROPEAN
- (T)..... CHINA
- (L)..... SINGAPORE

Interchangeable Parts at Manufacture Stage

Mark	Reference Number	Parts Name
N11		
N12	R101	50T-9-1134R 50101+10111 AL3021
N13	C870	50C1740(1740) 50C860(1740) 50C831(1674/9)
N14		



IC571: LC7222 RDS Decoder



	J	U.C	R.T	A	B	G	L	K
N10	50B71	X	X	VP0004B	X	X	X	X
N11	50B71	X	X	X	X	X	X	X
N12	AL871	X	X	X	X	4.3004R	4.3004R	VP00000
N13	50T7-878	X	X	X	X	2700H	2700H	V478110
N14	50T8-878	X	X	X	X	UM05233	UM05233	X
N15	C081	X	X	X	X	5000	5000	UM05206
N16	C080	X	X	X	X	4778	4778	UM05206
N17	50T8-500-503	X	X	X	X	0.1/16	0.1/16	UM05210
N18	R075	X	X	X	X	100	100	RC05010
N19	R075-500	X	X	X	X	470	470	RC05010
N20	R077-878	X	X	X	X	10K	10K	RC05010
N21	R075	X	X	X	X	20K	20K	RC05010
N22	L871	X	X	X	X	200uH	200uH	V480000
N23	50T70	X	X	X	X	IC17400	IC17400	X
N24	R074	X	X	X	X	5.0K	5.0K	RC05010
N25	V001	0	0	X	0	0	0	0
N26	0000-304	X	X	00300(L*1)	VP10000	X	X	X
N27	0000	X	X	1040000	VP10000	X	X	X
N28	0003	X	X	100000	VP10000	X	X	X
N29	0003	X	X	100000	VP10000	X	X	X
N30	0005	X	X	100000	VP10000	X	X	X
N31	1001	X	X	10000	VP10000	X	X	X
N32	1002	X	X	10000	VP10000	X	X	X
N33	1000	X	X	10000	VP10000	X	X	X
N34	0000-003	X	X	X	X	VP00000	VP00000	X
N35	F001	X	X	X	X	TR-504000V	TR-504000V	VP00000
N36	F002	X	X	H00014	X	X	X	X
N37	H001	X	X	H00000	X	X	X	X
N38	V000	X	X	H00000	X	X	X	X
N39	F000	X	X	H00010	X	X	X	X
N40	H004	X	X	H00010	X	X	X	X
N41	V000	X	X	H00010	X	X	X	X
N42	H004	X	X	V10000	X	X	X	X
N43	00041-040	X	X	VP00000	X	X	X	X
N44	F001	X	X	TR-100000V	X	X	X	X
N45	F000	7A100V	7A100V	7A100V	7A100V	7A100V	7A100V	7A100V
N46	F000	1/200, 0N	1/200, 0N	VP00000	X	X	X	X
N47	0003	X	X	H00111	X	X	X	X
N48	0003	X	X	H00111	X	X	X	X
N49	0003-000	X	X	10/70	X	X	X	X
N50	0000-004	X	X	100	X	X	X	X
N51	R070	X	X	50K	X	X	X	X
N52	0007	0-01	0-01	0-01	0-01	0-01	0-01	0-01
N53	0000-000	X	X	1000	X	X	X	X
N54	C080	X	X	X	X	1000	1000	UM05010
N55	F000	X	X	X	X	100K	100K	RC05010
N56	F000	X	X	X	X	10K	10K	RC05010
N57	F000	X	X	X	X	10K	10K	RC05010
N58	H007	X	X	X	X	70	70	RC05010
N59	H017	X	X	X	X	X	X	H00007

X: NOT USED  
 0: USED / APPLICABLE

\* All voltages are measured with a 10MΩ/V DC electric volt meter.  
 \* Components having special characteristics are marked 1, and must be replaced with parts having specifications equal to those originally installed.  
 \* Schematic diagram is subject to change without notice.  
 ● 電圧は、内部抵抗10MΩの電圧計で測定したものです。  
 ● 1印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を参照してください。  
 ● 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (OPERATION)

REMARKS	PARTS NAME	
NO MARK	ELECTROLYTIC CAPACITOR	☐
⊗	TANTALUM CAPACITOR	☐
NO MARK	CERAMIC CAPACITOR	
⊙	CERAMIC TUBULAR CAPACITOR	
⊖	POLYESTER FILM CAPACITOR	
⊕	POLYSTYRENE FILM CAPACITOR	
Ⓜ	MICA CAPACITOR	
Ⓟ	POLYPROPYLENE FILM CAPACITOR	
Ⓢ	SEMICONDUCTIVE CERAMIC CAPACITOR	
Ⓣ	POLYPHENYLENE SULFIDE FILM CAPACITOR	




REMARKS	PARTS NAME	
NO MARK	CARBON FILM RESISTOR (P=5)	□
□	CARBON FILM RESISTOR (P=10)	□
△	METAL OXIDE FILM RESISTOR	
▲	METAL FILM RESISTOR	
⊠	METAL PLATE RESISTOR	
⊞	FIRE PROOF CARBON FILM RESISTOR	
Ⓜ	CEMENT MOLDED RESISTOR	
Ⓟ	SEMI VARIABLE RESISTOR	
Ⓢ	CHIP RESISTOR	

NOTICE (model)

- (J)..... JAPANESE
- (U)..... U. S. A.
- (C)..... CANADIAN
- (R)..... GENERAL
- (A)..... AUSTRALIAN
- (B)..... BRITISH
- (G)..... EUROPEAN
- (T)..... CHINA
- (L)..... SINGAPORE

	J-U-C-R-T K-A-L	B-G
#5	SW711-714	×
#6	R711	×
#7	R712	×
#8	R713	×
#9	R714	×

- \* All voltages are measured with a 10M $\Omega$ /V DC electric volt meter.
  - \* Components having special characteristics are marked ①, and must be replaced with parts having specifications equal to those originally installed.
  - \* Schematic diagram is subject to change without notice.
- 電圧は、内部抵抗10M $\Omega$ の電圧計で測定したものです。  
● ①印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。  
● 本回路図は標準回路図です。改良のため予告なく変更することがございます。



Page 57 [LT] to FUNCTION (1)

Flash U-con Write Connector Page 57 [S]

Page 57 [S]


701-790 [OPE11]

■ SCHEMATIC DIAGRAM (DSP)

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P-6)
□	CARBON FILM RESISTOR (P-10)
△	METAL OXIDE FILM RESISTOR
○	METAL FILM RESISTOR
◇	METAL PLATE RESISTOR
▽	THICK PROOF CARBON FILM RESISTOR
◇	CONDUCTIVE NON-IND. RESISTOR
◇	SEMI-VARIABLE RESISTOR
◇	CHIP RESISTOR








REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
□	FANTAIL CAPACITOR
○	CERAMIC CAPACITOR
◇	CERAMIC TUBULAR CAPACITOR
◇	POLYMER FILM CAPACITOR
◇	NON-POLYMER FILM CAPACITOR
◇	MICA CAPACITOR
◇	POLYPROPYLENE FILM CAPACITOR
◇	PERFORMANCE CERAMIC CAPACITOR
◇	POLYETHYLENE SULFIDE FILM CAPACITOR



NOTICE (model)  
 J model only  
 (DSP-AX530/DSP-AX430)

Interchangeable Parts at Manufacturing Stage

Part No.	Part Name	Manufacturer	Part No.	Part Name	Manufacturer
IC600	IC600	SONY	IC600	IC600	SONY
IC601	IC601	SONY	IC601	IC601	SONY
IC602	IC602	SONY	IC602	IC602	SONY
IC603	IC603	SONY	IC603	IC603	SONY
IC604	IC604	SONY	IC604	IC604	SONY
IC605	IC605	SONY	IC605	IC605	SONY
IC606	IC606	SONY	IC606	IC606	SONY
IC607	IC607	SONY	IC607	IC607	SONY
IC608	IC608	SONY	IC608	IC608	SONY
IC609	IC609	SONY	IC609	IC609	SONY
IC610	IC610	SONY	IC610	IC610	SONY
IC611	IC611	SONY	IC611	IC611	SONY
IC612	IC612	SONY	IC612	IC612	SONY
IC613	IC613	SONY	IC613	IC613	SONY
IC614	IC614	SONY	IC614	IC614	SONY
IC615	IC615	SONY	IC615	IC615	SONY
IC616	IC616	SONY	IC616	IC616	SONY
IC617	IC617	SONY	IC617	IC617	SONY
IC618	IC618	SONY	IC618	IC618	SONY
IC619	IC619	SONY	IC619	IC619	SONY
IC620	IC620	SONY	IC620	IC620	SONY





: RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/DSP-AX530 only


J model only  
 (DSP-AX530/DSP-AX430)

- \* All voltages are measured with a 10MΩ/V DC electric volt meter.
- \* Components having special characteristics are marked \* and must be replaced with parts having specifications equal to those originally installed.
- \* Schematic diagram is subject to change without notice.

- 電圧は、内部抵抗10MΩの電圧計で測定したものです。
- \*印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
- 本回路図は標準回路図です。改良のため予告なく変更することがございます。



■ SCHEMATIC DIAGRAM (MAIN 1/2) RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/DSP-AX530/RX-V430RDS/HTR-5540RDS only



NOTICE (model)  
 (J)..... JAPANESE  
 (U)..... U.S.A.  
 (C)..... CANADIAN  
 (R)..... GENERAL  
 (A)..... AUSTRALIAN  
 (B)..... BRITISH  
 (E)..... EUROPEAN  
 (T)..... CHINA  
 (L)..... SINGAPORE

CAPACITOR

REMARKS	PARTS NAME	UNIT
NO MARK	ELECTROLYTIC CAPACITOR	μF
◎	TANTALUM CAPACITOR	μF
○	MONOLITHIC CERAMIC CAPACITOR	μF
⊙	DIAPHRAGM TUBULAR CAPACITOR	μF
◇	NON-VARIABLE FILM CAPACITOR	μF
◇	POLYESTER FILM CAPACITOR	μF
◇	MICA CAPACITOR	μF
⊖	FOR VIBROLINE FILM CAPACITOR	μF
⊖	BI-DIRECTIONAL CERAMIC CAPACITOR	μF
⊖	POLYPROPYLENE SULFIDE FILM CAPACITOR	μF

RESISTOR

REMARKS	PARTS NAME	UNIT
NO MARK	CARBON FILM RESISTOR (1/4W)	Ω
◇	CARBON FILM RESISTOR (1/10W)	Ω
△	METAL FILM RESISTOR	Ω
◇	METAL PLATE RESISTOR	Ω
◇	FILM THICK CARBON FILM RESISTOR	Ω
◇	CEMENT MOUNTED RESISTOR	Ω
◇	REAL VARIABLE RESISTOR	Ω
■	CHIP RESISTOR	Ω

Interchangeable Parts at Manufacture Stage

Part No.	Reference Part No.	Part No.	Part No.
M	D111-114-001-000-000	4804A	4804A
	071-070	18010	18010

Row	Cl. No.	J	U.C	model	R.T.K.A	E.G.L	UNIT
2	C245 344 271-374-376	X	X	0.01 (JMS410)	0.01 (JMS410)		
3	C241 342 351 353 354	X	X	0.002 (JMS402)	0.002 (JMS402)		
4	C201	X		0.000010 (F98310)	0.000010 (F98310)		
5	D253	X	X	47K (HF4570)	47K (HF4570)		
6	D252	X	X	10K (HF4570)	10K (HF4570)		
7	R235 340 351 353 354	X	X	2.2 (HV7322)	2.2 (HV7322)		
9	TE31			170010-1000 (W77110)	170010-1000 (W77110)	170010-1000 (W77110)	
10	TE31			170410-3011 (V40202)	170410-3011 (V40202)	170410-3009 (V40400)	
11							
12	D254	X	X	MF2110 (V64400)	MF2110 (V64400)	MF2110 (V64400)	
13	D255	X	X	MF2105 (V64300)	MF2105 (V64300)	MF2105 (V64300)	
31	R271 372	X	X	4.7 (HF4547)	4.7 (HF4547)		
33	R275	X	X	2.2 (HF4522)	2.2 (HF4522)		

○ NOT USED  
 □ CLOSED / APPLICABLE


★ All voltages are measured with a 10MΩ/V DC electric volt meter.  
 ★ Components having special characteristics are marked ! and must be replaced with parts having specifications equal to those originally installed.  
 ★ Schematic diagram is subject to change without notice.

● 電圧は、内部抵抗10MΩの電圧計で測定したものです。  
 ● !印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。  
 ● 本回路図は標準回路図です。改良のため予告なく変更することがございます。



■ SCHEMATIC DIAGRAM (MAIN 1/2) RX-V530/HTR-5540/DSP-AX430 only

RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/DSP-AX530  
RX-V430/RX-V430RDS/HTR-5540/HTR-5540RDS/DSP-AX430



**RESISTOR**

RESISOR	PARTS NAME	MANUFACTURE NUMBER	RESISTOR VALUE
NO MARK	CARBON FILM RESISTOR (F-D)		
□	CARBON FILM RESISTOR (F-D)		
△	METAL OXIDE FILM RESISTOR		
□	METAL FILM RESISTOR		
□	METAL PLATE RESISTOR		
□	FINE PITCH CARBON FILM RESISTOR		
□	CONDUIT HOLED RESISTOR		
□	SEMI VARIABLE RESISTOR		
□	CHIP RESISTOR		

**CAPACITOR**

RESISOR	PARTS NAME	MANUFACTURE NUMBER	RESISTOR VALUE
NO MARK	ELECTROLYTIC CAPACITOR		
○	TANTALUM CAPACITOR		
NO MARK	CERAMIC CAPACITOR		
○	GENERAL TUNABLE CAPACITOR		
○	POLYESTER FILM CAPACITOR		
○	POLYPROPYLENE FILM CAPACITOR		
○	SOIL CAPACITOR		
○	POLYPROPYLENE FILM CAPACITOR		
○	NONINDUCTIVE CERAMIC CAPACITOR		
○	POLYPROPYLENE SULFIDE FILM CAPACITOR		

**NOTICE (model)**

○ J ..... JAPANESE  
 U ..... U.S.A.  
 C ..... CANADIAN  
 R ..... GENERAL  
 A ..... AUSTRALIAN  
 B ..... BRITISH  
 E ..... EUROPEAN  
 T ..... CHINA  
 L ..... SINGAPORE

Chart No.	J	U.C.	R.T.K.A.	L
1 C271-274, 376 C281-322	X	X	0.01 [JMS410]	0.01 [JMS410]
2 C390-392, 395, 399	X	X	0.02 [JMS420]	0.02 [JMS420]
4 G251	X		C180A(4E) [YF8510]	C180A(4E) [YF8510]
5 G255	X		47K [HF45747]	47K [HF45747]
6 G252	X		10K [HF45710]	10K [HF45710]
7 R311-315	X	X	2.2 [YF75202]	2.2 [YF75202]
9 TE301	LCR2411 [Y447011]	LCR2411 [Y447011]	LCR2411 [Y447011]	LCR2411 [Y447011]
10 TE302	LCR2511-0000 [Y447011]	LCR2511-0000 [Y447011]	LCR2511-0000 [Y447011]	LCR2511-0000 [Y447011]
11				
12 D254	MTZ12C [Y443830]	MTZ12C [Y443830]	MTZ12C [Y443830]	MTZ12C [Y443830]
13 D253	X		MTZ16.6B [Y443830]	MTZ16.6B [Y443830]
21 R371, 372	X	X	4.7 [HF45471]	4.7 [HF45471]
23 R375	X	X	2.2 [HF45222]	2.2 [HF45222]

○ NOT USED  
 X USED / APPLICABLE

WIRE NO. TO WALTER Page 74

\* All voltages are measured with a 10MQ/V DC electric volt meter.  
 \* Components having special characteristics are marked with a triangle and must be replaced with parts having specifications equal to those originally installed.  
 \* Schematic diagram is subject to change without notice.

● 電圧は、内部抵抗10MQの電圧計で測定したものです。  
 ● 印のある部品は、安全確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。  
 ● 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM / (MAIN 2/2)

RESISTOR

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
☒	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
⊠	METAL FILM RESISTOR
⊡	METAL PLATE RESISTOR
⊞	FIRE PROOF CARBON FILM RESISTOR
□	CEMENT MOLDED RESISTOR
⊕	SEMI VARIABLE RESISTOR
■	CHIP RESISTOR

CAPACITOR





REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊗	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
●	CERAMIC TUBULAR CAPACITOR
⊙	POLYESTER FILM CAPACITOR
○	POLYSTYRENE FILM CAPACITOR
Ⓜ	MICA CAPACITOR
Ⓟ	POLYPROPYLENE FILM CAPACITOR
Ⓢ	SEMICONDUCTIVE CERAMIC CAPACITOR

NOTICE (model)

- (J)..... JAPANESE
- (U)..... U. S. A
- (C)..... CANADIAN
- (R)..... GENERAL
- (A)..... AUSTRALIAN
- (B)..... BRITISH
- (G)..... EUROPEAN
- (T)..... CHINA
- (L)..... SINGAPORE

6	Circuit No.	J	U. C. R. T. K A. B. G. L.
21	J3B1, 3B2	D	X
22	SW3B1	X	SL13B- 022AMCS [V410420]

x: NOT USED  
 o: USED/APPLICABLE



RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS: Page 72 to MAIN (8)  
 RX-V430/HTR-5540/DSP-AX430: Page 73 to MAIN (10)

RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS: Page 72  
 RX-V430/HTR-5540/DSP-AX430: Page 73


RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS only: Page 72

RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS only: Page 72

RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS: Page 72  
 RX-V430/HTR-5540/DSP-AX430: Page 73

RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS: Page 72  
 RX-V430/HTR-5540/DSP-AX430: Page 73

RX-V530/RX-V530RDS/HTR-5550/HTR-5550RDS/  
 DSP-AX530/RX-V430RDS/HTR-5540RDS: Page 72  
 RX-V430/HTR-5540/DSP-AX430: Page 73



★ All voltages are measured with a 10MΩ/V DC electric volt meter.  
 ★ Components having special characteristics are marked △, and must be replaced with parts having specifications equal to those originally installed.  
 ★ Schematic diagram is subject to change without notice.

● 電圧は、内部抵抗10MΩの電圧計で測定したものです。  
 ● △印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。  
 ● 本回路図は標準回路図です。改良のため予告なく変更することがございます。

